




SERIES 2000 PRE-CONFIGURED CABINETS

- 19" wide rack mount
- All welded heavy gauge steel construction
- Available in 3 heights, 36" deep
- 35" of usable depth
- Removable side panels create easy access for cable routing
- Integrated cable management
- Front and rear Cage Nut mounting rails punched on EIA standard spacing are fully adjustable front to rear
- Bag of (50) M6 Cage Nuts and screws included
- Vented front door with Plexiglas insert and lock
- Vented rear door with perforated insert and lock
- Doors are field reversible from left to right hand swing
- Four point leveling
- Each pre-configured cabinet includes:
 - Frame
 - (2) pr. Cage Nut mounting rails
 - (2) Solid Side Panels
 - Perforated top w/ 4.5" cable entry hole
 - Vented front door w/Plexiglas insert
 - Vented rear door w/Perforated insert
 - Leveling feet
 - Bag of (50) M6 Cage nuts and screws
- Choice of colors: *Color Code* = "x" Black (BLK) or IBM White (W)

Part #	RMU	Dimensions (O.D.)	Static Wt. Load
SWE2000-23Ux	23U	23"W X 36"D X 48"H	2500 lbs.
SWE2000-37Ux	37U	23"W X 36"D X 72"H	2500 lbs.
SWE2000-42Ux	42U	23"W X 36"D X 83"H	2500 lbs.





SERIES 2000 FRAMES AND MOUNTING RAILS


- 19" wide rack mount
- All welded heavy gauge steel construction
- 35" of usable depth
- Optional mounting rails: *(sold separately)*
 - Cage Nut: Holes punched on EIA Standard spacing
 - Tapped: Tapped #10-32 on EIA Standard spacing
- Four point leveling
- Choice of colors: *Color Code = "x"* Black (BLK) or IBM White (W)

Frame Part #	Dimensions	Cage Nut Rails	Tapped Rails
SWE2000-23U-FRx	23"W X 36"D X 48"H	SWE2000-23U-CNR	SWE2000-23U-TR
SWE2000-37U-FRx	23"W X 36"D X 72"H	SWE2000-37U-CNR	SWE2000-37U-TR
SWE2000-42U-FRx	23"W X 36"D X 83"H	SWE2000-42U-CNR	SWE2000-42U-TR


SERIES 2000 DOORS

- Vented frame with choice of inserts:
 - Perforated
 - Plexiglas
 - Solid
- Cast aluminum bullet style lift off hinges
- Flush mounted lift and turn two point locking latch
- Foam dust seals
- Field reversible right to left hand swing
- Fully welded steel construction
- Choice of colors: *Color Code = "x"* Black (BLK) or IBM White (W)

Description	23U	37U	42U
Vented / Perforated	SWE2000-23U-VDx	SWE2000-37UDPRFx	SWE2000-42UDPRFx
Vented / Plexiglas	SWE2000-23U-PDx	SWE2000-37UPDx	SWE2000-42UPDx
Solid	SWE2000-23U-SDx	SWE2000-37USDx	SWE2000-42USDx



Series 2000 Frame



Series 2000 Mounting Rails



Series 2000 Plex Door



SERIES 2000 SIDE PANELS

- Constructed from carbon steel
- Fully welded
- Easily removable for cable access
- Available in solid or louvered versions
- Choice of colors: *Color Code* = "x" Black (BLK) or IBM White (W)

Description	23U	37U	42U
Solid	SWE2000-23U-SPx	SWE2000-37U-SPx	SWE2000-42U-SPx
Louvered	SWE2000-23U-SPLx	SWE2000-37U-SPLx	SWE2000-42U-SPLx


SERIES 2000 TOPS / BOTTOMS

- Flush mount tops in 3 styles:
 - Vented (perforated w/ 4.5" cable entry hole)
 - Fan top w/4 Fan Holes (*Fans sold separately*)
 - Solid (top or bottom)
- Easily removable
- Carbon steel construction
- Choice of colors: *Color Code* = "x" Black (BLK) or IBM White (W)

Description	23U	37U	42U
Vented	SWE2000-TVx	SWE2000-TVx	SWE2000-TVx
Fan Top	SWE2000-FTx	SWE2000-FTx	SWE2000-FTx
Solid	SWE2000-STx	SWE2000-STx	SWE2000-STx

SERIES 2000 COUPLING KIT – SWE2000-CK

- Joins any Series 2000 cabinets of the same height together with (6) pr. of brackets
- Brackets enable cabinets to butt against each other when installed in front and rear of frame
- Eliminates the need for side panels between each two cabinets joined
- Includes hardware for installation
- Choice of colors: *Color Code* = "x" Black (BLK) or IBM White (W)





SERIES 2000 SHELVES

- 19" wide rack mount units
- Formed carbon steel construction for stiffness and strength
- Allows cable access in rear
- 17" wide, mounting brackets use 1RMU of space
- 150 lb. weight capacity
- Roll-Out shelves use full ball bearing slides for full extension
- Vented versions available
- Choice of colors: *Color Code* = "x" Black (BLK) or IBM White (W)


Description	Part #
Equipment Shelf	SWE2000-SF30Dx
	SWE2000-SFV30Dx (Vented)
Roll-Out Shelf	SWE2000-SR30Dx
	SWE2000-SRV30Dx (Vented)
Monitor/Articulating KB Shelf	SWE2249x
Keyboard Shelf	SWE2000-SKB

SERIES 2000 CASTER SET – SWE2000-CS

- Mounts to any Series 2000 cabinet
- Heavy duty roller bearing construction rated for 1000 lbs. per set
- Full swivel

SEISMIC BRACING - # 500032

- Mounts to any SWDP Economy or Series 2000 cabinet
- Heavy duty structural angle construction
- Frames are pre-drilled to accept angles
- Hardware to mount to frame included
- Floor mounting hardware not included
- Sold in sets of 4
- Gold zinc plated





SERIES 2000 CABINET GENERAL ACCESSORIES

Power Strips:

- Breaker protected
- Metal construction for durability
- UL Listed

15 AMP	Description
SWE705-10TL	(10) 15 AMP outlets, 48”L, 15’ cord, Twist Lock Plug
SWE705-16	(16) outlets, 48”L, 15’ cord
SWE705-24-15A	(24) outlets, 70” long, 15’ cord
SWE705-8	(8) outlets, 44” long, 15’ cord
SWE705-RM	RACK MOUNT, (8) outlet, 15’ cord
20 AMP	
SWE705-10-15TL	(10) outlets, 15” cord, L5P20 Twist Lock Plug, 48”L
SWE705-10-20A	(14) outlets, 15’ cord, 20A plug, 48”L
SWE705-10-20ATL	(14) outlets, 15’ cord, L5P20 Twist Lock Plug, 48”L
SWE705-24-20A	(24) outlets, 15’ cord, 20A plug, 70”L
SWE705-24-20ATL	(24) outlets, 15’ cord, L5P20 Twist Lock plug, 70”L
SWE705-20R-RM	RACK MOUNT, (8) outlet, 15 ft. cord

Fans:

- Can be mounted in any SWDP fan top or wall mount cabinet with fan holes
- Sealed bearings
- (2) finger guards included

Part #	Description
SWE706	110 CFM Axial Fan w/6’ cord, 115V
SWE706-53CFM	53 CFM Axial Fan w/6’ cord, 115V

