




GENERAL ACCESSORIES – POWER STRIPS AND POWER DISTRIBUTION UNITS

BASIC • METERED • SWITCHED


Basic Power Strips:

- Breaker protected
- Metal construction for durability
- UL Listed

15 AMP	Description
SWE705-10TL	(10) 15 AMP outlets, 48”L, 15’ cord, Twist Lock Plug
SWE705-16	(16) outlets, 48”L, 15’ cord
SWE705-24-15A	(24) outlets, 70” long, 15’ cord
SWE705-8	(8) outlets, 44” long, 15’ cord
SWE705-RM	RACK MOUNT, (8) outlet, 15’ cord
SWE2070	Equipment Rack – SWE706-16 w/brackets
20 AMP	
SWE705-10-15TL	(10) outlets, 15” cord, L5P20 Twist Lock Plug, 48”L
SWE705-10-20A	(14) outlets, 15’ cord, 20A plug, 48”L
SWE705-10-20ATL	(14) outlets, 15’ cord, L5P20 Twist Lock Plug, 48”L
SWE705-24-20A	(24) outlets, 15’ cord, 20A plug, 70”L
SWE705-24-20ATL	(24) outlets, 15’ cord, L5P20 Twist Lock plug, 70”L
SWE705-20R-RM	RACK MOUNT, (8) outlet, 15 ft. cord
SWE2070-20A	Equipment Rack – SWE706-10-20A w/brackets



Vertical Power Strip



Rack Mount Power Strip



GENERAL ACCESSORIES cont'd

Metered PDU:

- Front LCD for real time load monitoring
- Supports vertical, horizontal and wall mount installation
- Rugged industrial-grade metal housing
- Includes cord retention tray
- ETL/RoHS certified
- Lifetime warranty

Part Number	Description
SWPDU20MVT26F	26 Nema 5-20R receptacles, 20 Amp, 120V AC, Nema L5-20P Twist Lock Plug, 10' cord, 60"L
SWPDU20MVHVT20	20 IEC-320 receptacles: (4)C19/(16)C13, 20 Amp, 200/230V AC, Nema L6-20P Twist Lock Plug, 10 ft. cord, 48"L
SWPDU30MVHVT38	38 IEC-320 receptacles: (8) C19/(30)C13, 30 Amp, 200/230V AC, Nema L6-30P Twist Lock Plug, 10 ft. Cord, 70"L





GENERAL ACCESSORIES cont'd

Switched PDU:

- Single Phase Switched PDU with SNMP Network Interface, Digital display load, Voltage, KW and IP Address
- Controllable Receptacles
- Automatic events notification via e-mail and SNMP Trap
- User upgradeable Firmware and port for Environmental Sensor
- 3 Year Warranty

Part Number	Description
15 AMP – 120V	
SWPDU15SW8R	(8) NEMA 5-15R receptacles, 1U RM or 0U Vert. Mt., 120V, 15 Amp, 5-15P plug, 10' cord, 17.5"L
SWPDU15SWV16F	(16) NEMA 5-15R receptacles, 0U Vert. Mt., 120V, 15 Amp, 5-15P plug, 10' cord, 49"L
20 AMP – 120V	
SWPDU20SW8R	(8) NEMA 5-20R receptacles, 1U RM or 0U Vert. Mt., 120V 20 Amp, 5-20P plug, 10' cord, 17.5"L
SWPDU20SWVT24F	(24) NEMA 5-20R receptacles, 0U Vert. Mt., 120V, 20 Amp, L5-20P plug, 10' cord, 66.5"L
30 AMP – 120V	
SWPDU30SWT16F	(16) NEMA 5-20R receptacles, 19"RM 2U, 120V, 30 Amp, L5-30P plug, 12' cord, 17.5"
SWPDU30SWVT24F	(24) NEMA 5-20R receptacles, 120V AC, 30 Amp, L5-30P Twist Lock Plug, 10' cord, 66.5"L
220 / 230 V	
SWPDU30SWHVT16	(16) IEC-320 receptacles: (16 C-13 front), 19"RM 2U, 30 Amp, L6-30P plug, 200/230V, 10' cord, 17.5"L
SWPDU20SWVHVT24	(24) IEC-320 receptacles: (21) C-13/(3)C-19, 20 Amp, 0U Vert. Mt., 200/230V, L6-20P plug, 10' cord. 66.5"L
SWPDU30SWVHVT24	(24) IEC-320 receptacles: (21) C-13/(3)C-19, 30 Amp, 0U Vert. Mt., 200/230V, L6-30P plug, 10' cord. 66.5"L

