


CoLo Series Cabinets

Cabinets

Features


- 19" or 23" wide rack mount
- Wider frames (28") easily converted to 19" wide rack mount
- Available in 1, 2, 3 and 4 compartment versions
- 84" high cabinets are available in 2 widths and 2 depths
- All welded 16 gauge steel tubing construction
- Cabinet compartments are interchangeable in the field
- Doors are flush mount, field reversible—available with Perforated or Plexiglas inserts. Solid steel doors are also available with fan holes
- Front and Rear doors to each compartment are keyed alike—each compartment is keyed differently
- Flush mount fan tops have (4) fan holes and (4) cable entry knockouts on each side
- Standard Mounting Rails are Cage Nut style punched on EIA standard spacing. Tapped (#10-32) rails also available
- Compartment dividers are vented to allow air circulation
- Flush mount side panels secured from the inside to provide optimal security
- Total weight capacity 1000 lbs. evenly distributed
- Choice of colors: Color Code = "x" Black (BLK) or IBM White (W)



2C CoLo Cabinet

Frames

Part Number	Outside Dimensions	Usable Depth
FR-CL84X24X36x	24"W x 36"D x 84"H	34"
FR-CL84X24X42x	24"W x 42"D x 84"H	40"
FR-CL84X28X36x	28"W x 42"D x 84"H	34"
FR-CL84X28X42x	28"W x 42"D x 84"H	40"



CoLo Series Cabinets Components


Mounting Rails

Features

- Cage Nut style punched on EIA standard spacing
- Tapped rails have #10-32 holes on standard EIA spacing
- Heavy Duty 12 GA steel construction
- Sold in pairs
- 4" wide rails convert 23" RM to 19" RM in 28" wide frames

Cage Nut	Tapped	RMU	# Compartments
SWE730-CN	SWE730	44U	1C
MR38.5-CN	MR38.5	22U	2C
MR24.5-CN	MR24.5	14U	3C
MR17.5-CN	MR17.5	10U	4C

Note: Add "-4" to part number to convert 23"RM to 19"RM e.g. SWE730-CN-4




Mounting Rails

Side Panels

Features

- Solid or vented versions available
- Flush mount secured from the inside of frame for optimal security
- Choice of colors: Color Code = "x" Black (BLK) or IBM White (W)

Solid	Vented	Frame Depth
SP-A78x34x	SPV-A78x34x	36"
SP-A78x40x	SPV-A78x40x	42"



Side Panels

CoLo Series Cabinets Components

Doors

Features


- Styles available: Plexiglas, Perforated, Solid and Solid with Fan Holes
- Lift and turn locking latches included (each compartment keyed differently)
- Combo locks available
- Flush Mount, field reversible without tools
- Choice of colors: Color Code = "x" Black (BLK) or IBM White (W)

24" Wide Frame


	Plexiglas	Perforated	Solid	Solid w/ Fan Holes
1C:	DPLX-A78X22x	DPRF-A78X22x	DSTL-A78X22x	DSTL-A78X22-FHx
2C:	DPLX-CL38X22x	DPRF-CL38X22x	DSTL-CL38X22x	DSTL-CL38X22-FHx
3C:	DPLX-CL24X22x	DPRF-CL24X22x	DSTL-CL24X22x	DSTL-CL24X22-FHx
4C:	DPLX-CL17X22x	DPRF-CL17X22x	DSTL-CL17X22x	DSTL-CL17X22-FHx

28" Wide Frame

	Plexiglas	Perforated	Solid	Solid w/ Fan Holes
1C:	DPLX-A78X26x	DPRF-A78X26x	DSTL-A78X26x	DSTL-A78X26-FHx
2C:	DPLX-CL38X26x	DPRF-CL38X26x	DSTL-CL38X26x	DSTL-CL38X26-FHx
3C:	DPLX-CL24X26x	DPRF-CL24X26x	DSTL-CL24X26x	DSTL-CL24X26-FHx
4C:	DPLX-CL17X26x	DPRF-CL17X26x	DSTL-CL17X26x	DSTL-CL17X26-FHx



Perf Door with Lock



Plex Door with Lock


CoLo Series Cabinets Components

Cabinet Tops

Features

- Flush mount tops have (4) covered fan holes for future addition of fans (part # SWE706-2 set of [2] 110CFM fans or SWE706-4 set of [4] fans with one cord)
- (4) cable entry knock-outs on each side of top
- Choice of colors: Color Code = "x" Black (BLK) or IBM White (W)

Frame Width	36" Deep	42" Deep
24"	FMT-CL22X28-FHx	FMT-CL22X34-FHx
28"	FMT-CL26X28-FHx	FMT-CL26X34-FHx




Flush Mount Top

Compartment Dividers

Features

- Divider panel easily installed in field to convert existing CoLo cabinets
- Vented divider panel for air circulation—solid panel also available
- (4) cable entry knock-outs on each side of panel
- Choice of colors: Color Code = "x" Black (BLK) or IBM White (W)

Frame Width	36" Deep	42" Deep
24"	SC-CL380-Vx (Vented)	SC-CL380-42Vx (Vented)
	SC-CL380x (Solid)	SC-CL380-42x (Solid)
28"	SC-CL380-28Vx (Vented)	SC-CL380-42-28Vx (Vented)
	SC-CL380-28x (Solid)	SC-CL380-42-28x (Solid)



Vented Divider Panel

CoLo Series Cabinets Accessories


Shelves

Features


- 19" or 23" wide rack mount units
- Formed carbon steel construction for stiffness and strength
- Allows cable access in rear when used with appropriate frame
- 17" wide, mounting brackets use 1RMU of space
- 150 lb. weight capacity
- Roll-Out shelves use full ball bearing slides for full extension
- Vented versions available
- Choice of colors: Color Code = "x" Black (BLK) or IBM White (W)

Frame Style	36" Deep	42" Deep
Fixed Shelf	SWE2000-SF30Dx	SWE2000-SF36Dx
	SWE2000-SFV30D (Vented)	SWE2000-SFV36Dx (Vented)
Roll-Out Shelf	SWE2000-SR30Dx	SWE2000-SR36Dx
	SWE2000-SRV30Dx (Vented)	SWE2000-SRV36Dx (Vented)

Note: Add "-23" to part number for 23" RM shelf e.g. SWE2000-SF30D-23x



SWE2000-SF30D



SWE2000-SR30D

Frame Couplers: SC-FC

Features

- Top mount frame couplers install easily to factory pre-drilled frames
- Flat plate 2"W x 18" long enables (2) SC Series frames of the same height and depth to be bayed together
- Enables bayed units to be centered on raised floor tiles (no space between frames)
- Includes installation hardware
- Black (BLK) powder coat finish



SC-FC

CoLo Series Cabinets


Accessories

Power Strips

Features

- Breaker protected, UL Listed
- Metal construction for durability

15 AMP	Description
SWE705-10TL	(10) 15 AMP outlets, 48"L, 15' cord, Twist Lock Plug
SWE705-16	(16) outlets, 48"L, 15' cord
SWE705-24-15A	(24) outlets, 70"L, 15' cord
SWE705-8	(8) outlets, 44"L, 15' cord
SWE705-RM	Rack Mount, (8) outlet, 15' cord
20 AMP	Description
SWE705-10-15TL	(10) outlets, 15" cord, L5P20 Twist Lock Plug, 48"L
SWE705-10-20A	(14) outlets, 15' cord, 20A plug, 48"L
SWE705-10-20ATL	(14) outlets, 15' cord, L5P20 Twist Lock Plug, 48"L
SWE705-24-20A	(24) outlets, 15' cord, 20A plug, 70"L
SWE705-24-20ATL	(24) outlets, 15' cord, L5P20 Twist Lock plug, 70"L
SWE705-20R-RM	Rack Mount, (8) outlet, 15 ft. cord




Fans

Features

- Can be mounted in any SWDP fan top or wall mount cabinet with fan holes
- Sealed bearings
- (2) finger guards included

Part Number	Description
SWE706	110 CFM Axial Fan with 6' cord, 115V
SWE706-53CFM	53 CFM Axial Fan with 6' cord, 115V



Casters: SWE-ACS

Features

- Heavy duty roller bearing construction rated for 1000 lbs. per set
- Mounts to any SC Series frame
- Full swivel

